

# Appendix A: List of References

1. Abt, S.R., G.B. Hamilton, C.C. Watson, and J.B. Smith. 1994. Riprap sizing for modified ARS-Type basin. *Journal of Hydraulic Engineering*, ASCE 120(2): 260-267.
4. Biedenbarn, D.S., C.M. Elliott, and C.C. Watson. 1997. The WES stream investigation and streambank stabilization handbook. Prepared for the U.S. Environmental Protection Agency by the U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.
5. Blaisdell, F.W. 1948. Development and hydraulic design, Saint Anthony Falls stilling basin. *American Society of Civil Engineers, Trans.* 113:483-561, Paper No. 2342.
6. Clay, C.H. 1961. Design of fishways and other fish facilities. Department of Fisheries and Oceans, Canada, Queen's Printer, Ottawa.
7. Cooper, C.M., and S.S. Knight. 1987. Fisheries in man-made pools below grade control structures and in naturally occurring scour holes of unstable streams. *Journal of Soil and Water Conservation* 42: 370-373.
9. Darrach, A.G. et al. 1981. Building water pollution control into small private forest and ranchland roads. Publication R6-S&PF-006- 1980. U.S. Department of Agriculture, Forest Service, Portland, Oregon.
10. DuPoldt, C.A., Jr. 1996. Compilation of technology transfer information from the XXVII conference of the International Erosion Control Association. U.S. Department of Agriculture, Natural Resources Conservation Service, Somerset, New Jersey.
11. Flosi, G., and F. Reynolds. 1991. California salmonid stream habitat and restoration manual. California Department of Fish and Game.
12. Goitom, T.G., and M.E. Zeller. 1989. Design procedures for soil-cement grade control structures. In *Proceedings of the National Conference of Hydraulic Engineering*, American Society of Civil Engineers, New Orleans, Louisiana.
13. Gore, J.A., and F.D. Shields. 1995. Can large rivers be restored? A focus on rehabilitation. *Bioscience* 45 (3).
14. Gray, D.H., and A.T. Leiser. 1982. Biotechnical slope protection and erosion control. Van Nostrand Reinhold, New York.
15. Hammer, D.A. 1992. Creating freshwater wetlands. Lewis Publishers, Chelsea, Michigan.
16. Harrelson, C.C., J.P. Potyondy, C.L. Rawlins. 1994. Stream channel reference sites: an illustrated guide to field technique. General Technical Report RM-245. U.S. Department of Agriculture, Forest Service, Fort Collins, CO.
17. Harris, F.C. 1901. Effects of dams and like obstructions in silt-bearing streams. *Engineering News* 46.
18. Henderson, J.E. 1986. Environmental designs for streambank protection projects. *Water Resources Bulletin* 22(4): 549-558.
20. Iowa State University, University Extension. 1996. Buffer strip design, establishment and maintenance. In *Stewards of Our Streams*. Ames, Iowa.
21. King County, Washington Department of Public Works. 1993. Guidelines for bank stabilization projects. Seattle, Washington.

22. Leopold, A. 1949. A Sand County almanac and sketches here and there. Oxford University Press, New York.
23. Leopold, L.B., and D.L. Rosgen. 1991. Movement of bed material clasts in gravel streams. In Proceedings of the Fifth Federal Interagency Sedimentation Conference. Las Vegas, Nevada.
24. Leopold, L.B., and M.G. Wolman. 1957. River and channel patterns: braided, meandering, and straight. Professional Paper 282-B. U.S. Geological Survey, Washington, DC.
25. Linder, W.M. 1963. Stabilization of stream beds with sheet piling and rock sills. Prepared for Federal Interagency Sedimentation Conference, Subcommittee on Sedimentation, ICWR, Jackson, Mississippi.
26. Little, W.C., and J.B. Murphy. 1982. Model study of low drop grade control structures. Journal of the Hydraulic Division, ASCE, Vol. 108, No. HY10, October, 1982, pp. 1132- 1146.
27. Logan, R., and B. Clinch. 1991. Montana forestry BMP's. Montana Department of State Lands, Service Forestry Bureau. Missoula, Montana.
29. Maryland Department of the Environment, Water Management Administration. 1994. 1994 Maryland standards and specifications for soil erosion and sediment control. In association with Soil Conservation Service and Maryland State Soil Conservation Committee, Annapolis, Maryland.
30. Maryland Department of Natural Resources, Forest Service. 1993. Soil erosion and sediment control guidelines for forest harvest operations in Maryland. Annapolis, Maryland.
31. McLaughlin Water Engineers, Ltd. 1986. Evaluation of and design recommendations for drop structures in the Denver metropolitan area. A Report prepared for the Denver Urban Drainage and Flood Control District.
32. McMahon, T.A. 1993. Hydrologic design for water use. In Handbook of Hydrology, ed. D.R. Maidment. McGraw-Hill, New York.
33. Metropolitan Washington Council of Governments. 1992. Watershed restoration source book. Department of Environmental Programs, Anacostia Restoration Team, Washington, DC.
35. Milhous, R.T., and R. Dodge. 1995. Flushing flow for habitat restoration. In Proceedings of the First International Conference on Water Resources Engineering, ed. W.H. Espey, Jr. and P.G. Combs. American Society of Civil Engineers, New York.
36. Minnesota Department of Natural Resources. 1995. Protecting water quality and wetlands in forest management. St. Paul, Minnesota.
37. Murphy, T.E. 1967. Drop structures for Gering Valley project, Scottsbluff County, Nebraska, Hydraulic Model investigation. Technical Report No. 2-760. U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.
39. National Research Council. 1992. Restoration of aquatic ecosystems: science, technology and public policy. National Academy Press, Washington, DC.
40. Neilson, F.M., T.N. Waller, and K.M. Kennedy. 1991. Annotated bibliography on grade control structures. Miscellaneous Paper, HL-914. U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.

41. Nelson, W.R., J.R. Dwyer, and W.E. Greenberg. 1988. Flushing and scouring flows for habitat maintenance in regulated streams. U.S. Environmental Protection Agency, Washington, DC.
42. New Hampshire Timberland Owners Association. 1991. A pocket field guide for foresters, landowners and loggers. Concord, New Hampshire.
43. New York Department of Environmental Conservation. 1992. Reducing the impacts of stormwater runoff from new development. Albany, New York.
44. Pennsylvania Fish Commission. (Undated). Fish habitat improvement for streams. Pennsylvania Fish Commission, Harrisburg, Pennsylvania.
45. Reid, G.K., and R.D. Wood. 1976. Ecology of inland waters and estuaries. D. Van Nostrand Co., New York.
46. Rosgen, D.L. 1985. A stream classification system—riparian ecosystems and their management. First North American Riparian Conference, Tucson, Arizona.
47. Rosgen, D.L. 1993. River restoration using natural stability concepts. In Proceedings of Watershed '93, A National Conference on Watershed Management. Alexandria, Virginia.
48. Saele, L.M. 1994. Guidelines for the design of stream barbs. Streambank Protection and Restoration Conference. U.S. Department of Agriculture, Natural Resources Conservation Service, Portland, Oregon.
50. Schueler, T.R. 1987. Controlling urban runoff: a practical manual for planning and designing urban BMPs. Metropolitan Washington Council of Governments, Washington, DC.
51. Schultz, R.C., J.P. Colletti, T.M. Isenhart, W.W. Simpkins, C.W. Mize, and M.L. Thompson. 1995. Design and placement of a multi-species riparian buffer strip. *Agroforestry Systems* 29: 201-225.
52. Schumm, S.A. 1963. A tentative classification system of alluvial rivers. Circular 477. U.S. Geological Survey, Washington, DC.
53. Schumm, S.A. 1977. The fluvial system. John Wiley and Sons, New York.
54. Schumm, S.A., M.D. Harvey, and C.A. Watson. 1984. Incised channels: morphology, dynamics and control. Water Resources Publications, Littleton, Colorado.
55. Seehorn, M.E. 1992. Stream habitat improvement handbook. Technical Publication R8-TP 16. U.S. Department of Agriculture, Forest Service, Atlanta, Georgia.
56. Shields, F.D., Jr., and N.M. Aziz. 1992. Knowledge-based system for environmental design of stream modifications. *Applied Engineering in Agriculture, ASCE* 8: 4.
57. Shields, F.D., Jr., and R.T. Milhous. 1992. Sediment and aquatic habitat in river systems. Final Report. American Society of Civil Engineers Task Committee on Sediment Transport and Aquatic Habitat. *Journal of Hydraulic Engineering* 118(5).
58. Shields, F.D., Jr., S.S. Knight, and C.M. Cooper. 1995. Incised stream physical habitat restoration with stone weirs. *Regulated Rivers: Research and Management* 10.
59. Shields, F.D., Jr., C.M. Cooper, and S.S. Knight. 1992. Rehabilitation of aquatic habitats in unstable streams. Fifth Symposium on River Sedimentation. Karlsruhe.

60. Shields, F.D., Jr. 1983. Design of habitat structures open channels. *Journal of Water Resources Planning and Management*, ASCE 109: 4.
61. Shields, F.D., Jr. 1982. Environmental features for flood control channels. *Water Resources Bulletin*, AWRA 18(5): 779-784.
63. Tate, C.H., Jr. 1988. Muddy Creek grade control structures, Muddy Creek, Mississippi and Tennessee. Technical Report HL-88-11. U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.
65. Thompson, J.N., and D.L. Green. 1994. Riparian restoration and streamside erosion control handbook. Tennessee Department of Environment and Conservation, Nashville, Tennessee.
66. U.S. Army Corps of Engineers. 1970. Hydraulic Design of Flood Control Channels. EM-1110-1601, (Revision in press 1990).
67. U.S. Army Corps of Engineers. 1981. Main report, Final report to Congress on the streambank erosion control evaluation and demonstration Act of 1974, Section 32, Public Law 93-251. U.S. Army Corps of Engineers, Washington, DC.
68. U.S. Army Corps of Engineers. 1983. Streambank protection guidelines. U.S. Army Corps of Engineers, Washington, DC.
69. U.S. Army Corps of Engineers. 1989. Engineering and design: environmental engineering for local flood control channels. Engineer Manual No. 1110-2-1205. Department of the Army, U.S. Army Corps of Engineers, Washington, DC.
70. U.S. Department of Agriculture, Forest Service. 1989. Managing grazing of riparian areas in the Intermountain Region, prepared by Warren P. Clary and Bert F. Webster. General Technical Report INT-263. Intermountain Research Station, Ogden, UT.
72. U.S. Department of Agriculture, Soil Conservation Service. 1977. Design of open channels. Technical Release 25.
73. U.S. Department of Agriculture, Natural Resources Conservation Service. (Continuously updated). National handbook of conservation practices. Washington, DC.
74. U.S. Department of Agriculture, Soil Conservation Service. (1983). Sediment-storage design criteria. In *National Engineering Handbook*, Section 3. Sedimentation, Chapter 8. Washington, DC.
75. U.S. Department of Agriculture, Natural Resources Conservation Service. 1992. Wetland restoration, enhancement or creation. In *Engineering Field Handbook*. Chapter 13. Washington, DC.
77. U.S. Department of Agriculture, Natural Resources Conservation Service. 1996. Streambank and shoreline protection. In *Engineering field handbook*, Part 650, Chapter 16.
78. U.S. Department of Agriculture, Natural Resources Conservation Service. 1995. Riparian forest buffer, 391, model state standard and general specifications. Watershed Science Institute, Agroforesters and Collaborating Partners, Seattle, Washington.
79. U.S. Department of Agriculture, Natural Resources Conservation Service. c1995. (Unpublished draft). Planning and design guidelines for streambank protection. South National Technical Center, Fort Worth, Texas.
80. U.S. Department of Agriculture, Natural Resources Conservation Service, and Illinois Environmental Protection Agency. 1994. Illinois Urban Manual. Champaign, Illinois.
81. U.S. Environmental Protection Agency. 1993. Guidance specifying management measures for sources of nonpoint pollution in coastal waters. Publication 840-B-92-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

82. U.S. Environmental Protection Agency. 1995. Water quality of riparian forest buffer systems in the Chesapeake Bay Watershed. EPA-903-R-95-004. Prepared by the Nutrient Subcommittee of the Chesapeake Bay Program.
83. U.S. Department of Transportation. 1975. Highways in the river environment—hydraulic and environmental design considerations. Training and Design Manual.
84. Vanoni, V.A., and R.E. Pollack. 1959. Experimental design of low rectangular drops for alluvial flood channels. Report No. E-82. California Institute of Technology, Pasadena, California.
85. Vitrano, D.M. 1988. Unit construction of trout habitat improvement structures for Wisconsin Coulee streams. Administrative Report No. 27. Wisconsin Department of Natural Resources, Bureau of Fisheries Management, Madison, Wisconsin.
86. Waldo, P. 1991. The geomorphic approach to channel investigation. In Proceedings of the Fifth Federal Interagency Sedimentation Conference, Las Vegas, Nevada.
88. Welsch, D.J. 1991. Riparian forest buffers. Publication NA-PR-07-91. U.S. Department of Agriculture, Forest Service, Radnor, Pennsylvania.
89. Welsch, D.J., D.L. Smart et al. (Undated). Forested wetlands: functions, benefits and the use of best management practices. (Coordinated with U.S. Natural Resources Conservation Service, U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, U.S. Forest Service). Publication No. NA-PR- 01-95. U.S. Department of Agriculture, Forest Service, Radnor, Pennsylvania.

## Additional Information:

Andrews, E.D. 1983. Entrainment of gravel from naturally sorted riverbed material. *Geological Society of America* 94: 1225-1231.

Arizona Riparian Council. 1990. Protection and enhancement of riparian ecosystems (An Annotated Bibliography). Phoenix, Arizona.

Coppin, N.J., and I.G. Richards. 1990. Use of vegetation in civil engineering. Butterworths, London, England.

Henderson, J.E., and F.D. Shields. 1984. Environmental features for streambank protection projects. Technical Report E-84-11. U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi.

Marble, A.D. 1992. A guide to wetland functional design. Lewis Publishers, Boca Raton, Florida.

Melanson, G.P. 1993. Riparian Landscape. Cambridge University, Great Britain.

Naiman, R.J. 1992. Watershed management. Springer-Verlag, New York.

Pacific Rivers Council. 1993. Entering the watershed. Washington, DC.

Schueler, T.R., P.A. Kumble, and M.A. Heraty. 1992. A current assessment of urban best management practices. Washington Metropolitan Council of Governments for U.S. Environmental Protection Agency, Washington, DC.

Short, H., and J. Ryan. 1995. The Winooski River watershed evaluation project report. Americorps—Corporation for National and Community Service, and U.S. Department of Agriculture, Natural Resources Conservation Service, Williston, Vermont.

U.S. Department of Agriculture, Natural Resources Conservation Service. 1992. Soil bioengineering for upland slope protection and erosion reduction. In *Engineering field handbook*, Part 650, Chapter 18.

U.S. Department of Agriculture, Soil Conservation Service. (Undated). *Agriculture Information Bulletin 460*. Washington, DC.

U.S. Department of Agriculture, Natural Resources Conservation Service. 1996. Examining a 1930's case study summary: restoration of the Winooski River watershed, Vermont. Watershed Science Institute, Burlington, Vermont.

Washington State Department of Ecology. 1992. Stormwater management manual for the Puget Sound basin. Olympia, Washington.

Wisconsin Department of Natural Resources. 1995. Best management practices for water quality. Bureau of Forestry, Madison, Wisconsin.

Wullstein, L.H., D. Duff, and J. McGurrin et al. 1995. Indexed bibliography on stream habitat improvement. Trout Unlimited. U.S. Fish and Wildlife Service, U.S. Forest Service, University of Utah, Ogden, Utah.